









## Perennials for Pollinators 2024 - Native Wildflower Perennials









Common Name	Image	Flower colours	*Flowering Time	**Height (cm)	Light Pref.	***Habitats	Notes
<b>Biting stonecrop</b>		yellow	Early Summer	S	Full Sun	C	Bees enjoy its nectar, sometime invasive, drought tolerant, naturally occurs dunes, grassland, cracks on walls in sun
<b>Bloody Cranesbill</b>		purple	Mid-summer	S	Full Sun	C	Good for rock garden or effective as groundcover
<b>Bugle</b>		blue	Early Summer	S	Part Shade to Shade	D	spreading and mat forming
<b>Clustered Bellflower</b>		blue, purple, white	Mid-summer	S	Full Sun to Part Sun		Suitable for naturalizing in woodland and wildflower gardens
<b>Common Toadflax</b>		yellow	Late Summer	M	Full Sun to Part Sun		flowers from late spring to mid-autumn
<b>Cowslip</b>		deep yellow	Spring	S	Full Sun to Part Sun		Grow as biennials for bedding and in a container or rock garden
<b>Field Scabious</b>		bluish, lilac	Late Summer	M	Full Sun to Part Sun	C	Attractive to bees
<b>Foxglove</b>		pink purple	Early Summer	T	Full sun to shade	W	Toxic and Bumblebees attracted

\*Flowering Time: Spring (April-May) Early Summer (June-July) Mid-summer (July-August) Late Summer (August-September)

\*\*Height: Small (under 30cm) Medium (30cm - 75cm) Tall (over 75cm)








\*\*\*Habitats: C - Coastal, D - Dump, W - Waterlogged, P - Pond

## Perennials for Pollinators 2024 - Native Wildflower Perennials

Common Name	Image	Flower colours	*Flowering Time	**Height (cm)	Light Pref.	***Habitats	Notes
Harebell		purple	Mid-summer	S	Full Sun	C	very attractive
Maiden Pink		pink	Mid-summer	S	Full Sun	C	creeping
Meadow's Cranesbill		pink	Mid-summer	M	Full Sun to Part Sun		Clump forming
Oxeye Daisy		white	Early Summer	T	Full Sun		robust
Primrose		yellow	Spring	S	Full sun to shade	C	good for insects
Red Campion		pink	Late Summer	T	Full sun to shade	C W	forms large clumps
Sea Campion		white	Early Summer	S	Full Sun	C	small, clump-forming
Sneezewort		white, pink, purple	Mid-summer	M	Part Shade to Shade	P D W	Mat forming or erect

\*Flowering Time: **Spring** (April-May) **Early Summer** (June-July) **Mid-summer** (July-August) **Late Summer** (August-September)  
 \*\*Height: **Small** (under 30cm) **Medium** (30cm - 75cm) **Tall** (over 75cm)  
 \*\*\*Habitats: **C** - Coastal, **D** - Dump, **W** - Waterlogged, **P** - Pond

## Perennials for Pollinators 2024 - Native Wildflower Perennials

Common Name	Image	Flower colours	*Flowering Time	**Height (cm)	Light Pref.	***Habitats	Notes
Thrift		pink, white	Mid-summer	S	Full Sun	C	good rockery plant
Common Comfrey		purplish	Late Summer	M	Full sun to shade	W D	Good for shade, suit damp
Valerian		pale pink	Mid-summer	T	Full Sun to Part Sun	D	loved by pollinators, extremely attractive to cats
Viper's Bugloss		blue	Mid-summer	T	Full Sun	C	Suitable for annual border or wildlife garden
Water Avens		orange	Mid-summer	M	Full Sun to Part Sun	D W	moisture-loving perennial
Wild Strawberry		white	Spring	S	Full Sun to Part Sun	W	spreading ground cover
Yarrow		white, pink, purple	Late Summer	M	Full Sun	C	attractive to a wide range of pollinators, particularly hoverflies
<p>*Flowering Time: Spring (April-May) Early Summer (June-July) Mid-summer (July-August) Late Summer (August-September)  **Height: Small (under 30cm) Medium (30cm - 75cm) Tall (over 75cm)  ***Habitats: C - Coastal, D - Dump, W - Waterlogged, P - Pond</p>							